

Chapter 5

Short-Term Working Memory

375


Review of Ch 4

- Input Processes
 - Alertness, Arousal, Orienting, Spotlight, Search.
- Conscious/Voluntary Attention
 - Selective Attention, Models of selection
- Attention as a Resource
 - Automatic vs. Conscious
 - Pros & Cons of automaticity
- Clinical Syndromes
 - Hemineglect

384

Psyc 362 - Spring 2018

Atkinson Shiffrin “Standard Model”



385

Psyc 362 - Spring 2018

STM / WM

- STM Capacity
 - Bottleneck, Limits, Forgetting
- STM Retrieval
 - Serial Position effect, Scanning
- Working Memory
 - Central Executive, Phonological Loop, Visuospatial Sketchpad, Episodic Buffer
- Research Methods
 - Dual Task, Span
- Other systems
 - Attention, LTM, Reasoning

386

Psyc 362 - Spring 2018

Terminology

- Modern Terms:
 - Short Term Memory (STM)
 - Working Memory (WM)
- Alternative Terms:
 - Short-Term Store (STS)
 - Primary Memory
 - Elementary Memory
 - Immediate Memory
 - Temporary Memory
 - Supervisory Attention System (SAS)

387

Psyc 362 - Spring 2018

Common Misconceptions

- Statment
 - “I have a short-term memory”
- Meaning
 - “I don’t remember things for very long”
- How to state this with proper terminology?

388

Psyc 362 - Spring 2018

Introspection

- Can we see into our own WM?
 - Contents: usually yes
 - Processes: often no

389

Psyc 362 - Spring 2018

Elementary Memory

- Elementary memory makes us aware of ... the just past. The objects we feel in this directly intuited past differ from properly recollected objects. An object which is recollected, in the proper sense of that term, is one which has been absent from consciousness altogether, and ... is brought back ... from a reservoir in which, with countless other objects, it lay buried and lost from view. But an object of primary memory is not thus brought back; it never was lost; its date was never cut off in consciousness from that of the immediately present moment. In fact it comes to us as belonging to the rearward portion of the present space of time, and not to the genuine past. (James, 1890)

390

Psyc 362 - Spring 2018

STM vs WM

- Short Term Memory (STM)
 - storage
- Working Memory (WM)
 - storage (multiple kinds)
 - focus, attention, “executive functioning”
 - processing

391

Psyc 362 - Spring 2018

STM Capacity

- Limits...
 - Chunking
 - Recoding
- Forgetting
 - Decay vs. Interference
 - Proactive vs. Retroactive

392

Psyc 362 - Spring 2018

WM Limits

- Miller’s “magical number 7 ± 2 ” (1956)
 - “span of apprehension”
 - “memory span”
 - digit span, letter span, picture span...
- Important subtest of most IQ tests
- Cowan (2010) : may actually be 4 ± 1
 - (Miller’s result includes chunking)

393

Psyc 362 - Spring 2018

Chunking

- combining simple items into a more rich or complex concept.

394

Psyc 362 - Spring 2018

Recoding

- A kind of chunking
- forming groups of items then remembering the group
- Requirements
 - enough time
 - familiar groups already in LTM
- With training Digit Span of 82 has been achieved (Chase & Ericsson, 1982)

397

Psyc 362 - Spring 2018

Forgetting in STM


- Limited Capacity
- Limited Duration
- Forgetting
 - Decay
 - Interference

398

Psyc 362 - Spring 2018

Brown-Peterson Task

- Results: dramatic forgetting
- Conclusion: Decay not Interference



402

Psyc 362 - Spring 2018

Waugh & Norman (1965)


- List of number, last number is “probe”
- 7 4 6 9 – 4
- correct answer : “6”
- Dependent Variable:
 - rate of presentation: 1 to 4 per second

403

Psyc 362 - Spring 2018

Waugh & Norman (1965)

- Results: Time is not important, # of items is.
- Conclusion: Interference, not Decay



404

Psyc 362 - Spring 2018

Decay vs. Interference?

- Still controversial but
- Main factor: Interference
- Smaller factor: Decay

405

Psyc 362 - Spring 2018

Proactive and Retroactive Interference


- On Brown Peterson task, first trial is easy, later trials get much harder.
- PI: old information interferes with new
- RI: new information interferes with old

406

Psyc 362 - Spring 2018

Release from PI

- Wickens Born & Allen (1963)
- Multiple Brown/Peterson trials using Words.
- One group switches to Numbers



Psyc 362 - Spring 2018

Release from PI


- Wickens (1972)
- All groups got 3 words that were fruits
- The fourth word was from a category:
 - Fruit
 - Vegetable
 - Flower
 - Profession

409

Psyc 362 - Spring 2018

Release from PI - Semantic Distance

- Dependent Variable: semantic category



Psyc 362 - Spring 2018

STM Retrieval

- Serial Position Effects...
- Scanning...

411

Psyc 362 - Spring 2018

Serial Position Effects


- Methods:
 - Free Recall
 - Serial Recall
- Stimuli:
 - lists of items (words, etc.)
- Dependent variable:
 - position in list
- Independent variable:
 - % accuracy

412

Psyc 362 - Spring 2018

Serial Position Curve

- Primacy & Recency effects



Psyc 362 - Spring 2018

413

Primacy & Recency


- Primacy:
 - A long-term memory effect.
 - First items in a list get the best and most rehearsal.
- Recency:
 - A short-term memory effect.
 - Last items still in STM at time of recall.

Psyc 362 - Spring 2018

414

Serial Position Curve

- Recency can be blocked with distractor task




Psyc 362 - Spring 2018

415

Serial Position Curve


- Presentation Rate (time) doesn't matter



Psyc 362 - Spring 2018

416

Idealized Serial Position Curve



Psyc 362 - Spring 2018

417

Review

- Terminology:
 - STM vs. WM
 - Span
- Capacity
 - Limits 7 ± 2 or 4 ± 1 ?
 - Chunking
- Forgetting
 - Decay vs. Interference
 - PI vs RI
 - Release from PI
- Serial Position Curve

Psyc 362 - Spring 2018

425


Scanning in STM

- Parallel
 - are my keys on the table?
- Serial
 - Self-Terminating
 - are my keys...
 - under the couch? no
 - on the table? no
 - in the kitchen? YES - Stop looking
 - Exhaustive
 - e.g. a police lineup

427

Pyrc 362 - Spring 2018


Sternberg Task: Process Model



428

Pyrc 362 - Spring 2018


Sternberg Task: Predictions



429

Pyrc 362 - Spring 2018

Sternberg Task: Results



430

Pyrc 362 - Spring 2018

Scanning in STM Summary

- People scan STM in a serial exhaustive fashion (don't stop even if a match is found).
- The scan rate is about 38 msec per item (Sternberg's slope).
- The intercept represents the time it takes for all other stages in Sternberg's model.

431

Pyrc 362 - Spring 2018

Working Memory

- Challenges to basic STM theory...
- Components of WM...

432


Pyrc 362 - Spring 2018

STM Problems

- Clinical examples:
 - Patient A
 - STS (digit span) of 2 items
 - Yet otherwise normal
 - Patient B
 - word span : 1 item
 - can repeat 7 word sentences
- Conclusion: STM is too simple - must be other parts

433

Psyc 362 - Spring 2018



Working Memory Components (Baddeley, 2000)

- Visuo-Spatial Sketch Pad
- Central Executive
- Phonological Loop
- Episodic Buffer

434

WM: Central Executive

- Planning, control, initiates retrieval, combining information, decision making.
- Computer Analogy: CPU (central processing unit)

435

Psyc 362 - Spring 2018

WM: Phonological Loop

- Speech and sound storage
- Phonological store
 - holds verbal information
 - ex: imagining music
- Articulatory loop
 - refreshes the phonological store
 - “rehearsal”
 - ex: talking to yourself

436

Psyc 362 - Spring 2018

Limits to Phonological Loop

- Articulatory Suppression Effect
 - Speaking impairs memory for list of words
- Irrelevant Speech Effect
 - environmental speech impairs memory
- Phonological similarity Effect
 - hard to remember list of words if they are phonologically similar (sound alike)
 - boat bowl bone bore
 - stick pear friend cake
- Similar results for non-speech stimuli (music and ASL)

437

Psyc 362 - Spring 2018


WM: Visuospatial Sketch Pad

- Visual / spatial storage (buffer)
- Manipulation of objects
- (see CogLab 5 : Mental Rotation)

438

Psyc 362 - Spring 2018

Mental Rotation




439

Pyrc 362 - Spring 2018

Mental Rotation Results

- RT depends on angle of rotation



440

Pyrc 362 - Spring 2018

WM: Embodied Cognition





Fig. 2 An image and schematic of the rotation platform used for physical rotation training. The wooden Shepard and Metzler objects were mounted on the rods protruding from the top

441

- performance improved by holding physical object of same shape
- harder to mentally rotate objects that are physically harder to rotate

Working Memory Components



443

- Episodic Buffer is new: stores & links information (e.g. sound of voice, image of face)


WM: Episodic Buffer

- Where chunking happens
- combines information across modality:
 - visual + auditory
 - meaning + words

444

Pyrc 362 - Spring 2018

The **Left** hemisphere regions of the frontal lobe of the brain that are especially important in verbal working memory tasks: the premotor and supplementary motor area, Brodmann area 6; the anterior cingulate and the dorsolateral prefrontal cortex, Brodmann area 9; and Broca's area, Brodmann area 44. From Smith and Jonides (1999)




446

g 2018

The Right hemisphere regions of the brain that are especially important in visual and spatial working memory tasks: The extrastriate occipital cortex; the posterior parietal lobe, the premotor area, and the dorsolateral prefrontal cortex.

From Smith (2000)



447

1 - Spring 2018

Review

- Scanning in STM
 - Q: Parallel, Serial Exhaustive, Serial Self-terminating?
 - A: Serial Exhaustive which seems inefficient.
- WM Components
 - Central Executive
 - Slave systems
 - Phonological Loop
 - Visuospatial Sketch Pad
 - Episodic Buffer

452

Psych 362 - Spring 2018

Assessing WM

- Dual Task...
- Working Memory Span...

Psych 362 - Spring 2018

453


Dual Task Paradigm

- Two tasks
 - Primary
 - Secondary
- Dependent Variables:
 - Vary nature of task and stimuli
- Independent Variable:
 - performance (accuracy, reaction time)
- Conclusion:
 - whether tasks do or do not interfere (using same resources)

454

Psych 362 - Spring 2018

Dual Task Reasoning Experiment



- Main Task:
 - AB: "A is not proceeded by B"
- Second Task:
 - repeat "the"
 - counting
 - remember digits

455

Working Memory Span

- Short Term Memory Span
 - storage only
- Working Memory Span
 - storage and processing

$$(6 \times 2) - 2 = 10? \text{ SPOT}$$

$$(5 \times 3) - 2 = 12? \text{ TRAIL}$$

$$(6 \times 2) - 2 = 10? \text{ BAND}$$

456

Psych 362 - Spring 2018

Reading Span

- Daneman & Carpenter (1980)
- Read unrelated sentences
- Remember last word of each sentence
- Reading span score highly correlated with SAT scores ($r=0.59$) and reading comprehension

457

Psyc 362 - Spring 2018

WM Conclusions

- WM = STM + controlled attention (Engle, 2002)
- WM Training?
 - with 10 hours of video games, Female Visuospatial scores equaled Male scores (Feng, Spence & Pratt, 2007)
 - Meditation / Mindfulness

458

Psyc 362 - Spring 2018

WM and Cognition

- WM and
 - Attention...
 - LTM...
 - Reasoning...

460

Psyc 362 - Spring 2018

WM and Attention


- Auditory Shadowing Test with 'cocktail party' effect (subject's Name said in other ear)
 - High vs. Low WM Span Subjects
 - 20% vs. 65% detected name
 - Conclusion
 - High WM spans → better concentration and resistance to distraction
- Modified Stroop test with only 20% "different"
 - Low WM Span subjects made 2x errors
 - Conclusion
 - Low WM spans → forgetting task goal

461

Psyc 362 - Spring 2018

WM and LTM

- Animal Category Fluency
- Secondary task: monitor digits
- High WM subjects more affected



462

Psyc 362 - Spring 2018

WM and Reasoning

- Studies show those with higher WM spans better at logic, reasoning problems.
- Low WM subjects used simpler approaches.

463

Psyc 362 - Spring 2018

Is high WM capacity ever bad?

- Block & DeCaro (2007)
- Task: Math problems, some of which required simple solution
- Finding: High WM subjects had trouble using the simple strategy

464

Psyc 362 - Spring 2018


CogLab 5: Mental Rotation

- Methods:
 - See two 3D shapes
 - determine if the shapes are the same (by mentally rotating one or the other)
- Theory
 - Visuospatial sketchpad
 - Rotation will take time

465

Psyc 362 - Spring 2018


CogLab 5: Mental Rotation



466

Psyc 362 - Spring 2018


Mental Rotation: My Data



467


Psyc 362 - Spring 2018

Mental Rotation: Class Data



468

Mental Rotation: Global Data




469

Psyc 362 - Spring 2018

Shepard & Metzler (1971)

- Reaction time for “same” pair is quite linear
- Results same for two kinds of rotation (around X or Z axes)
- Different pairs: constant, about 1000msec longer



470

Mental Rotation

- Debriefing
- Methods
 - differences?
- Predictions
 - rotation takes time
 - same vs. difference?
- Robust? Limitations?

471

Psyc 362 - Spring 2018

Clinical Evidence

Clinical Terminology

- Amnesia
 - failure to access information in LTM (retrieval)
 - failure to transfer information to LTM (learning)
- There is no clinical term for “impaired working memory”?

472

Psyc 362 - Spring 2018

473

Psyc 362 - Spring 2018

Clinical Examples

- Daniel Tammet -
 - has amazingly GOOD working memory
 - Hx of epilepsy and autism-spectrum-disorder
 - Can multiply & divide long numbers in his head
 - “I’m seeing the numbers, but I’m not seeing them, it’s strange, I see pictures, shapes, patterns, like water, drops, ripples, almost metallic”
- Also good with words:
 - Knows 9 languages

474

Psyc 362 - Spring 2018