

# Ch. 6: Test Development

Copyright © 2024 Michael Diehr  
All Rights Reserved  
For use only by students enrolled  
in my sections of Psyc 402  
through the end of the semester.  
May not be posted, shared or uploaded  
online without permission.

750

Psychology 402 - Fall 2024 - Dr. Michael Diehr

751

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Ch. 6: Test Development

- Test Item question formats
- Guessing & correction for guessing formula
- Cognitive Factors: Recall vs. Recognition
- Breakout Exercise: construct → question
- Item Analysis: Difficulty, Discriminability, ICC
- Item Response Theory / Adaptive Testing
- SII (Strong Interest Inventory)

757

Psychology 402 - Fall 2024 - Dr. Michael Diehr

758

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Test Item Formats

- Qualitative
  - Fill in the blank
  - Essay
- Quantitative
  - True / False...
  - Multiple Choice...
  - Rating / Category scales...

759

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Dichotomous Format

- Aka “True/False” or “Yes/No” or “Binary”
- Pros: easy to write, administer, and score, good for basic facts. Avoids ambivalence.
- Cons: rote memorization, high scores due to guessing → increased # of items, black & white thinking: not appropriate for complexity or nuance
- Summary: unsophisticated format - shouldn’t be widely used for achievement testing

760

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Poly[cho]tomous

- AKA “multiple choice”
- Target: correct answer
- Distractor: incorrect answers
- Pros: easy to administer (covers a lot of material quickly), easy to score, can handle shades of gray / nuance
- Cons: difficult to write, susceptible to guessing strategies, susceptible to “over studying”

761

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Miller's Law

- To fully characterize a Normal distribution of  $X$ , we need its Mean and ...?
- A: Mode
- B:  $X$ -bar
- C: Standard Deviation
- D: Average of  $X$

762

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Distractors?

- Too few distractors --> dichotomous
- Too many distractors --> slow, confusing
- Optimal is 3-5 distractors. Thus, most multiple-choice tests should have between 4 and 6 possible answers per question.
- Distractors should cover a wide range of abilities w/o being cute or trite

763

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Guessing : Probability

- $M = \# \text{ of answer choices per question}$
- $P_{\text{correct}}$  with random guessing =  $1/M$
- On a dichotomous (T/F),  $P = \underline{\hspace{2cm}}$
- On a multiple choice test with  $M$  answers per question, the probability =  $\underline{\hspace{2cm}}$
- Total score from guessing:
  - $N_{\text{questions}} \times P_{\text{correct}}$

765

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Guessing : Expected Score

- Probability of getting any item correct, using a random guessing strategy,  $p$  is equal to 1 divided by the # of answers.
- On a dichotomous (T/F) test the probability  $P = 1/2 = 50\% = 0.5$
- On a multiple choice test with  $M$  answers per question, the probability =  $1 / M$ . For a 4 item test  $P = 1/4 = .25 = 25\%$
- Total score due to guessing = # of questions times average score per item or  $N * P$ .
- Example: an 100 item test with 4 answers = 25

766

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Guessing impacts Validity

767

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Correcting for Guessing

- Scores can correct for guessing.
- Goal: person randomly answering should get same score as someone who doesn't answer.
- Expected score of someone who answers no questions = 0
- Expected score of someone who guesses randomly is  $N * (1/M)$
- Correction Formula:
  - For every wrong answer, subtract  $1/(M-1)$  points.

768

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Correcting for Guessing : Example

- Example:
  - a 100 item test ( $N=100$ )
  - each question has 5 choices ( $M=5$ )
  - probability of right answer by guess? ( $P = 1/M = 1/5 = 20\%$ )
- A student guessing on each item would average 20 correct ( $P*N = 0.2 * 100 = 20$ )
- Correction: subtract  $(1/M-1)$  points for each wrong answer  $= 1/(5-1) = 1/4 = 0.25$  points.
- Adjusted score?

769

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Correcting for Guessing - Real World

- Formula is simplistic
- College Board removed guessing penalty for AP exams in 2010
- SAT revisions in 2016
  - Removes penalty for Guessing
  - other changes:
    - Essay is optional
    - Vocabulary test changed

770

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## When should you guess?

- Almost always
- Worst case: if a correction formula is in use, and you truly have zero information for a given item, guessing has no effect
- However, it's likely you do have some knowledge. This increases your chances slightly above chance, giving you a positive expected score.

771

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## [di|poly]chotomous Issues

- Pros:
  - neutral, fair scoring
- Types of knowledge:
  - Recall vs. Recognition
  - Receptive vs. Expressive
- Skill =? test taking ability
- Solution: Essay test format

772

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Accessing Knowledge

- Recalling information is different than Recognizing it
- Neuropsychology suggests different brain systems. Recall can be stronger or weaker than Recognition
- Issues for testing:
  - What type of access is involved in polychotomous testing?
  - Is it fair to test using a method which prefers one type over the other?

773

Psychology 402 - Fall 2024 - Dr. Michael Diehr

# Recall vs. Recognition

774

Psychology 402 - Fall 2024 - Dr. Michael Diehr

# Facts vs Opinions?

- Polychotomous : good for assessing factual information
- What about measuring opinions, preferences, styles?

779

Psychology 402 - Fall 2024 - Dr. Michael Diehr

# Other question formats

- Likert Scale
- Category Rating Scale
- Visual Analogue Scale
- Checklists

780

Psychology 402 - Fall 2024 - Dr. Michael Diehr

# Likert Format

- Asked to rate statements on an ordinal scale with a short list of answer choices
- Example:  
I am afraid of heights:  
5 strongly agree  
4 agree  
3 undecided  
2 disagree  
1 strongly disagree
- Numbers : sometimes shown, sometimes not shown.

782

Psychology 402 - Fall 2024 - Dr. Michael Diehr

# Likert : Neutral?

- Sometimes, want to avoid the middle (neutral, undecided) answer
- Example:  
I am afraid of heights:  
4 strongly agree  
3 somewhat agree  
2 somewhat disagree  
1 strongly disagree
- Like T/F, forces subject to take a position

783

Psychology 402 - Fall 2024 - Dr. Michael Diehr

# Likert : Balance & Symmetry

- Answers should be balanced & symmetrical
- I am afraid of heights:  
4 strongly agree  
3 somewhat agree  
2 neutral  
1 somewhat disagree
- Poor design
  - Answers will be biased towards 3 or 4

784

Psychology 402 - Fall 2024 - Dr. Michael Diehr


## Likert Scales : 6 and 7 choices

1. Strongly Disagree	1. Strongly Disagree
2. Disagree	2. Disagree
3. Somewhat Disagree	3. Somewhat Disagree
4. Somewhat Agree	4. Neutral
5. Agree	5. Somewhat Agree
6. Strongly Agree	6. Agree
	7. Strongly Agree

785

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Ideal # of answers?



Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Category (Rating Scale) Format

- Similar to Likert format, but #s are used instead
- Pros -- responses are more precise than with Likert scales (10 vs. 5 or 6)
- Cons -- context effects stronger
  - Solution: clearly define endpoints
- Question: Precision vs. Accuracy?

787

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Rating Scale - no anchors

- On a 1 to 10 scale how much do you like your partner?  
1  
2  
3  
4  
5  
6  
7  
8  
9  
10
- Issues:
  - Is 1 or 10 the highest?

788

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Rating Scale - with anchors

- On a 1 to 10 scale how much do you like your partner?  
1 Planning to break up  
2  
3  
4  
5  
6  
7  
8  
9  
10 Planning to get Married soon
- Issues:
  - Unbalanced (is 5 or 6 the middle?)
  - Interpretation? what does a "2" or "3" mean?

789

Psychology 402 - Fall 2024 - Dr. Michael Diehr


## How many choices?

- Optimal # of choices is between 4 and 7
  - consistent with Miller's  $7 \pm 2$
- Using up to 10 choices is OK if
  - good anchors & examples are provided
  - raters are motivated or trained
- Otherwise, using 10+ choices leads to random responding

790

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Visual Analogue Scale

- Similar to Category format, except use of a visual stimulus & graphical measurement
- Example:  
How much pain are you in right now?  

- Pros: allows a precise, finely detailed response
- Cons: hard to score, precision vs. accuracy?

791

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Checklists

- Checklists:
  - Agree/disagree with large # of statements
- Example
  - "I am currently having trouble with..."
    - Money
    - Relationships
    - Appetite
    - Sleep
    - ...

794

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Polychotomous testing: Advice from Textbooks

Advice	% endorsing
Don't use "All of the above"	80%
Don't use "None of the Above"	75%
All choices should be plausible	70%
Negative wording shouldn't not be un-used	55%

795

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Exercise: From Construct to Question

## Ch. 6 - Part 2

## Item Analysis

- In Ch 5 we discussed the reliability and validity of *the entire test*.
- Now we look at psychometrics of *individual test items*.
- Item Difficulty
- Item Discriminability

816

Psychology 402 - Fall 2024 - Dr. Michael Diehr

820

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Item Difficulty

- How hard is this item?
- % who get the item correct  
“item easiness”?

821

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Too hard / Too easy

- Floor effect: many scores near the bottom range of possible scores
- Ceiling effect: many scores near the top range of possible scores

822

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Ideal Difficulty

- Ideal= halfway between chance and perfect
  - for a 4-item multiple choice, chance = 25%, so optimum would be 62.5%
  - typical range is 30% to 70%
- Tests should contain wide variety of item difficulties, because people are different

823

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Ideal Difficulty 2

- Mathematically, 30%-70% is optimum
- What about human / emotional issues?
  - Tests or items that are too hard?
  - Tests or items that are too easy?

824

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Discriminability

- Difficulty = how many people answer correctly?
- Discriminability = who answers correctly?
- Does performance on one item correlate with overall test performance?
- Two ways
  - statistical
  - graphical

825

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Discriminability - Statistical


- Extreme Group:
  - divide test takers into thirds
  - % correct : top third vs. bottom third
- Point Biserial
  - p.b. correlation between item and test score
  - low or negative values represent “bad” items

826

Psychology 402 - Fall 2024 - Dr. Michael Diehr


# Discriminability - Graphical

- Item Characteristic Curve
- Graph % correct vs. total test score for one test item




# Item Characteristic Curve

- Different test items have different ICCs




# Item Characteristic Curve

- Good items show steady increase
- Bad items show decreases or flat spots



# ICC Example

- Diagnose these problems:



# Graph the ICC

- Item 1: What was the exact population of the town Bodie, California, in 1879?  
 (A) 6142  
 (B) 6143  
 (C) 6144  
 (D) 6145
- Correct answer = A

# Graph the ICC

- Item 1: What is  $0.34 \times 0.27$   
 (A) 9.18  
 (B) 0.61  
 (C) 0.0918  
 (D) 91.8
- “Correct Answer” = B

## Graph the ICC


- Item 1: What is  $1 + 2$ 
  - (A) 11
  - (B) 21
  - (C) 3
  - (D) 0.3
- Correct answer = C

836

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## ICC Example

- The “Overstudying” problem:



## Problems with multiple-choice items

840

Problem	Description
Unfocused Stem	The stem should include the information necessary to answer the question. One should not need to read the answers to figure out what question is being asked.
Negative Stem	The stem should exclude negative terms such as <u>not</u> and <u>except</u> .
Window Dressing	Don't include information irrelevant to the question being assessed
Unequal Option Length	The Target and the Distractors should be about the same length.
Negative Options	Answer choices should not use words such as "not"
Clues to the Correct Answer	Vague terms such as <u>might</u> , <u>may</u> , and <u>can</u> could hint which option is correct, particularly in soft sciences where certainty is rare.
Heterogeneous Options	The Target and Distractors should be in the same general category.

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Item Response Theory (IRT)

- Classical Test theory
  - your ability = *number of items correct*
- IRT
  - your ability = *level of difficulty at which you can perform*
- IRT Model : probability of correct answer is modeled using several variables (for the test and the test-taker)
- IRT Procedures: computer-based *adaptive testing*

841

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## IRT / Adaptive Testing

- To cover different ability levels, tests need wide range of item difficulties
- For an individual, some items will be too easy / some too hard
- “old fashioned” solution = have several tests (easy...medium...hard) and pick a test based on pre-existing knowledge of person.
- IRT solution = one test that automatically detects person’s level and gives questions mainly in that difficulty level.

842

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## IRT in the real world

- IRT is theoretically better
- Adoption in curriculum is slow
- some tests use it but vast majority do not
- Continuing research

843

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## External Criteria

- Internal Criteria = total test score
- External Criteria = thing that actually matters (e.g. "do you crash the plane")
- Most Item Analysis still uses Internal criteria rather than the more correct External Criteria
- Why?

844

Psychology 402 - Fall 2024 - Dr. Michael Diehr


## Criterion-referenced Test

- Instead of arbitrary criteria such as "70% = pass" use one with more validity.
- Criteria = the learning outcome(s) desired
- Method:
  - create a good test
  - give it to two groups of students
    - those who have had the material
    - those who have not
  - Determine cut-point score from histogram

845

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Criterion-referenced Test



846

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Limitations of Item Analysis

- Tests discriminate between levels of performance
- Statistics (difficulty and discriminability) don't tell why a person missed an item
- Items might discriminate well (statistically) but for the wrong reasons (educationally)
- Tests don't directly help people learn
- Tests can harm, if they dramatically change learning behavior (e.g. study for the test rather than the subject)

848

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Example of a poor test item?

- What is 0.4 plus 0.3
  - (A) 0.3
  - (B) 0.4
  - (C) 0.7
  - (D) .07
- Is answering (A) better or worse than answering (D)?

849

Psychology 402 - Fall 2024 - Dr. Michael Diehr

## Strong Interest Inventory (SII)

*There will not be any questions about the SII on the midterm*

854

Psychology 402 - Fall 2024 - Dr. Michael Diehr